



**POOL FILTRATION
WATER PARK CASE**



Superior Water Quality & Healthy Indoor Climate

The Case

Skive water park was to be renovated to be able to meet the requirements for a modern water park. The water filtration system also needed an upgrade to ensure the highest water quality which complies with regulatory requirements.

”

We are really satisfied with the water quality we have achieved from installing the LiqTech system, and our guests benefit greatly from the healthier environment.

Michael Pedersen

Technical Manager, Skive Municipality



The Solution

One of the crucial points at Skive was the compact size of the water treatment system, as additional sand filters would need a basement extension. It was also important was to reduce the use of chemicals to create a healthier indoor climate in the swimming area, but with a continued focus on superior water quality and water and energy savings.

The Solution was a high-tech LiqTech water treatment system, featuring microfiltration membranes that take up 1/4 of the footprint compared to a sand filter solution. The choice was also based on its ability to provide the best and most reliable water filtration technique, together with a clean and consistent water quality.

LiqTech System Design

Materials and Components

Our membrane systems are standardized and built-in either corrosion-resistant stainless steel (SS316L) or plastic (PP). High-quality pumps, valves, and sensors are used to ensure operational stability and longevity. Construction materials and seals are selected depending on the water composition and end-user requirements. LiqTech also offers customized solutions such as containerized units.

Modular Systems

The LiqTech membrane system is based on standardized membrane modules. This facilitates the option of expanding the system with additional membrane modules to further increase the capacity if necessary. LiqTech offers systems in a flow range as low as 0.5 m³/h (2 GPM) and up to more than 1000 m³/h (4,400 GPM). These units are designed and manufactured with the objective of easy maintenance and expedient and compact footprint.

Cleaning tools

The membrane systems are made with automatic backwash. Automatic CIP (cleaning-in-place) is optional but recommended.

Membrane

The heart of the system is based on LiqTech's patented SiC ceramic membranes. These membranes are extremely robust, tolerating high water flow; aggressive cleaning and they provide a long lifetime. The SiC membranes are available with microfiltration and ultrafiltration pore sizes, serving a wide range of applications.

Control

The systems are fully automated and may be remotely monitored and controlled.

LiqTech Installation



- 5 pools. 50m pool 480 m³/h (2,113 GPM), warm water 34°C/93°F and 220 m³/h (969 GPM), spa 150 m³/h (660 GPM), children's pool 150 m³/h (660 GPM), wave pool 100 m³/h (440 GPM)
- Turnover of 1100/m³/h / 4,843 GPM
- Used by up to 16,000 - 20,000 people per month



Talk to an Expert

If need any more information or help regarding pool filtration, please do not hesitate to contact us.

We are here to help you



Joakim Hansen

Area Sales Manager
Phone: +45 3119 1234
joh@liqtech.com

Contact LiqTech

Phone: +45 4498 6000
info@liqtech.com
<https://liqtech.com/>